Cost of NEMA4X Fiber Optic Cable Trays for Surveillance Use

Overview

NEMA 4X Boxes | Boxes, Enclosures, Racks | DigiKeyShop DigiKey's large in-stock selection of Boxes. View inventory, pricing and order now for same day ship.

Key Takeaways

NEMA 4X fiber optic enclosures for surveillance applications typically range from $200 to $800 or more depending on size, port capacity, and material, though exact pricing requires vendor quotes. OverviewNEMA 4X enclosures are designed for indoor and outdoor use, providing protection against dust, dirt, oil, water, and corrosive environments, making them ideal for surveillance networks exposed to harsh conditions. They are commonly used for fiber optic patching, splicing, and termination in security camera systems, FTTH, or building-to-building links.

Key Features

Material: Aluminum with polyester powder coating or fiberglass-reinforced polyester for corrosion resistance. Port Capacity: Available in sizes supporting 12 to 96 fiber ports, with some enclosures accommodating up to 288 terminations using splice trays. Security: Lockable network compartments and pad-lockable outer doors for added protection.

Cable Management: Includes splice trays, strain relief kits, and adapter panel support for organized fiber routing. Environmental Rating: NEMA 4X ensures water-tight, dust-tight, and corrosion-resistant performance suitable for outdoor surveillance installations.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Typical Cost Considerations

Small enclosures (12–24 ports): Usually start around $200–$300. Medium enclosures (48–72 ports): Typically $400–$600. Large enclosures (96+ ports or high splice capacity): Can exceed $700–$800, especially for heavy-duty or specialized outdoor models.

Additional factors: Custom configurations, pre-terminated assemblies, or specialized environmental features can increase cost. Vendors and OptionsLANshack: Offers 4-panel wall-mount NEMA enclosures with up to 288 terminations, suitable for both splicing and patching.

Cables Plus US

A: Provides NEMA 4-rated 4-panel fiber distribution units with lockable doors and corrosion-resistant aluminum construction.

OC

C Fiber: Offers molded fiberglass-reinforced polyester NEMA 4X enclosures for 12–96 fiber ports, suitable for corrosive or high-temperature environments. Primus Cable: Supplies outdoor fiber dome closures and inline enclosures with integrated slack storage and hinged trays for surveillance networks. For accurate pricing, it is recommended to request quotes from suppliers based on the required port count, environmental rating, and installation type.

This ensures the enclosure meets both budget and technical requirements for your surveillance fiber optic network.

Article Content

OCC (Optical Cable) OCO48NX :: NEMA 4X Enclosure, 48-port,

Available in four sizes, the OCC NEMA 4X Enclosures are indoor/outdoor rated cabinets for patching and/or splicing 12 to 96 fiber ports. Constructed of molded fiberglass-reinforced polyester material,

OCC OCO12NX 10"H 8"W 4"D, NEMA 4X Enclosure, 12-port ...

Available in four sizes, the OCC NEMA 4X Enclosures are indoor/outdoor rated cabinets for patching and/or splicing 12 to 96 fiber ports. Constructed of molded fiberglass-reinforced polyester material,

OCC OCO48NX 16.5"H 14.5"W 8.1"D, NEMA 4X Enclosure, 48-port,

Available in four sizes, the OCC NEMA 4X Enclosures are indoor/outdoor rated cabinets for patching and/or splicing 12 to 96 fiber ports. Constructed of molded fiberglass-reinforced polyester material,

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Optical Cable

Average lead time for this brand: 10-11 weeks. Specific products may vary. For indoor or outdoor applications where protection of components from dirt, dust, oil, or water are mandatory, OCC offers

NEMA 4X Enclosures

Available in four sizes, the OCC NEMA 4X Enclosures are indoor/outdoor rated cabinets for patching and/or splicing 12 to 96 fiber ports. Constructed of molded fiberglass-reinforced polyester material,

NEMA 4X Enclosures | McMaster-Carr

Choose from our selection of NEMA 4X enclosures, including over 6,800 products in a wide range of styles and sizes. Same and Next Day Delivery.

NEMA 4 Rated, 4 Panel Fiber Distribution Unit | Cables Plus USA

The FWM-4X-N4D is an outdoor rated NEMA 4 wall mount fiber distribution enclosure. The enclosure is designed for environments where durability, security, and weather resistance is required.

NP-288 Outdoor Waterproof Fiber Enclosure

To request more information or quantity pricing for the OptoSpan NP-288 Outdoor Waterproof Fiber Enclosure (NEUX-X00X00-6XT), call Toll Free 1-800-720-3860

Fiber Domes, Boxes and Enclosures – tagged "nema-4x-rated" –

The Outdoor Fiber Dome Closure requires no special tools, adhesives, or mastics for installation. An integrated slack storage space and hinged trays enhance cable management. And as a final note,

Wall Mount Fiber Patch Panels

We offer NEMA rated enclosures for top-of-the-line quality and durability on indoor and outdoor fiber patch panels. A loaded fiber optic wall mount termination box comes equipped with cable routing

NEMA 4X Enclosures

For indoor or outdoor applications where protection of components from dirt, dust, oil, or water are mandatory, OCC offers the new NEMA 4X Fiber Optic Enclosures. These enclosures are designed to

NEMA 4X FIBER OPTIC ENCLOSURES

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Overview: For indoor or outdoor applications where protection of components from dirt, dust, oil, or water are mandatory, OCC offers the new NEMA 4X Fiber Optic Enclosures. These enclosures are

The FOA Reference For Fiber Optics

Most false floor systems include cable trays for fiber optic cables. An armored indoor cables is sometimes used in underfloor applications to protect the fiber from crushing by other cables.

Complete Buyer''s Guide to Outdoor Telecom Cabinets

These enclosures are designed to hold fiber termination panels, store slack, and organize optics and copper patching. They normally have tray systems, cable entry ports, bay layouts, and internal

Wall Mount Fiber Enclosure

This NEMA 1 & 4 outdoor rated fiber enclosure is designed for environments where security, durability, and weather resistance is required. To be NEMA 4 compliant, the NEMA rated wall mounting kit (15

Nema Rated Enclosures, Nema Fiber Enclosures, Multilink Nema 4 Fiber ...

Part Number: 045-009-10 Multilink Nema 4 Rated Optical Wall Mounted Fiber Optic Enclosures Shown above is Multilink''s wall mounted optical splice closure.The Multilink OSE (Optical Splice Enclosure)

Wall Mount Fiber Patch Panel, NEMA 4X Rated, 48 Ports

Wall Mount Fiber Patch Panel, NEMA 4X Rated, Holds 8 Adapter Panels, Up to 48 Ports. OC Series Wall Mount Fiber Patch Panels offer the same modular features of the WTC series with the added

NEMA Wall Mount Fiber Patch Panel

NEMA Wall Mount Fiber Patch Panels provide a concrete basis for any fiber optic application; lucrative aspects include simplified management methods and effortless cable distribution processes.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved