Dimensions of inlet and outlet holes for distribution boxes

Overview

DISTRIBUTION BOXES Provide high-density polyethylene drop or distribution box with holes punched suitable to receive locking seals. The box shall be strong.

Key Takeaways

Standard inlet and outlet holes for distribution boxes are typically designed for 4-inch diameter pipes, with outlet spacing and elevation carefully controlled to ensure even effluent distribution.

Hole Diameter

Most distribution boxes, whether plastic, concrete, or fiberglass, are designed to accommodate 4-inch (100 mm) diameter pipes for both inlets and outlets. Some plastic boxes use adjustable seals (e.g., "Polylok" or twist-lock seals) that allow secure fitting of 4-inch pipes and can adapt to slight variations in pipe size.

Elevation and Invert

The invert of the inlet hole is generally positioned 1. 5 to 3 inches above the outlet invert to ensure proper flow and prevent backflow. For multiple outlets, all outlet inverts are typically level with each other to distribute effluent evenly.

In some designs, the outlet holes are positioned at least 3 inches above the bottom of the box and not less than 3 inches from the corners to maintain structural integrity and prevent clogging.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Spacing Between Outlets

When multiple outlets are used, they should be at least 9 inches on center to allow proper effluent distribution and prevent interference between pipes. The spacing ensures that each drain line receives an equal share of wastewater, which is critical for system performance.

Material Considerations

Plastic distribution boxes: Lightweight, corrosion-resistant, often with adjustable or twist-lock seals for 4-inch pipes. Concrete distribution boxes: Precast with knockouts sized for 4-inch pipes, reinforced for structural strength, and designed to withstand vertical loads. Fiberglass boxes: Lightweight and strong, with pre-formed holes for standard pipe sizes.

Installation Notes

Holes are usually centered left to right on the box wall. Inlet and outlet holes may include seals or gaskets to prevent leakage and allow for slight adjustments during installation. Proper alignment and leveling of the box are essential to ensure even distribution of effluent across all outlet pipes.

In summary, distribution box inlet and outlet holes are standardized for 4-inch pipes, with careful attention to invert elevation, outlet spacing, and distance from box edges to ensure proper effluent flow and system longevity. Adjustable seals and material-specific designs allow flexibility while maintaining compliance with local codes.

Article Content

DISTRIBUTION BOXES

Provide high-density polyethylene drop or distribution box with holes punched suitable to receive locking seals. The box shall be strong, non-corrosive, lightweight, and easily installed. The box shall be of

DISTRIBUTION BOXES

American Distribution Boxes are made of high-density polyethylene for years of dependable use. They are non-corrosive, strong, and lightweight for easy handling. Inlet and outlet elevations are positioned

4" Distribution Box (HDPE Single Wall Miscellaneous Fittings)

The hillside distribution box diagram shows the inlet-external press fit into 4” smooth wall, various dimensions of each section, outlets internal snap into 4” pipe and capacity of 8 gallons to overflow.

GA DPH Onsite Sewage Manual

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The inlet or outlet holes or knockouts shall be located a minimum of three inches from adjacent sidewalls. The requirements in paragraphs B.2 and B.3 below apply to concrete, molded

12-Outlet Distribution Box | Keeler Precast Concrete, Inc.

Serving Hudson, New York and the Surrounding Area for over 77 Years. Click Drawing Below for Larger, Sharper View in PDF File. Keeler Precast Concrete, Inc. © 2026. All Rights Reserved.

Comprehensive Guide to Septic Distribution Box Dimensions

In this guide, we will delve into the various dimensions of septic distribution boxes, including standard sizes, material considerations, and factors influencing their design.

Precast Concrete Distribution Boxes & Plastic Distribution Boxes BC

We provide several concrete distribution boxes including a 4 hole, 7 hole, 9 hole, and 14 hole. Each D-Box has one hole for the inlet pipe and the rest are for outlets to the septic field.

Polylok 20" Distribution and Valve Box (8 Hole,7 Hole, 6 Hole)

We have the solution to all of your onsite needs with our 20" Distribution Box! This box is great for large or small applications. No other box allows you to choose where to set your inlets or outlets.

5 Outlet D-Box

The 5-Outlet Distribution Box is a concrete box designed for distribution of effluent wastewater to a home''s leach field. The 5-outlet is used for moderately sized

Crouse-Hinds series Steel Switch and Outlet Boxes technical data

Outlet boxes and covers Eaton has assembled one of the most complete outlet box product lines in the business. We''ve been leading in quality and selection for decades and throughout the Crouse-Hinds

D_BOX.P65

Install Tee-Y baffle on inlet pipe if required. Lay D-Box completely level in bed of sand or clean soil. Glue bell ends of drainage pipe to pipe stubs. If required by Health Department, connect 2'' -3'' of

Distribution Boxes

Concrete Distribution Box Product Code Description Dimensions Weight (lbs) DB 7 (Outlets) Hole Distribution Box 16 1/2″H x 15″W x 24″L w/ 1″ drop between inlet

9-Hole Septic Distribution Box for Large Systems | Tuf-Tite

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Tuf-Tite® 9-Hole Distribution Box features nine watertight outlets for precise effluent flow in large septic systems. Includes lid, seals, and riser compatibility.

Standard electrical wall mounting box specifications for the USA

I was wondering what the standard electrical wall mounting box used for sockets in america was. I was also wondering what the specifications for these boxes were, as well as, the pitch

Distribution Boxes

A septic distribution box is a container used to receive septic system effluent from a septic tank and to re-distribute the effluent into a network..

4-Hole Septic Distribution Box with Seals | Tuf-Tite

Tuf-Tite® 4-Hole Distribution Box offers watertight pipe seals, riser compatibility, and easy installation, ideal for dividing effluent flow in septic systems.

9-Hole Dist Cat Sheet

INSTALLATION IS JUST THIS SIMPLE Position the Distribution Box on level virgin soil. Do not place box on a concrete slab. Install the inlet pipe and outlet pipes. Be sure the bottoms of all pipes rest on

Floor Box Design and Electrical Floor Outlet

Floor boxes and electrical floor outlets Your one-stop shop for resources and information to design and build floor box specs for new constructions,

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved