

Dual-core switch virtualization



Overview

To replace your two core switches with a Virtual Switching System (VSS) we are planning to replace these two independent cores with a VSS (Virtual Switching).

Key Takeaways

Dual-core virtualization of switches allows two physical switches or cores to operate as a single logical switch, improving bandwidth, reliability, and management efficiency. Concept Overview

Dual-core or multicore virtualization in networking involves combining two physical switch units or processor cores into a single virtualized entity. This approach enables the switches to share a single control and management plane while distributing the forwarding plane across both devices, effectively increasing throughput and redundancy. Each physical switch continues to operate independently at the hardware level but appears as a single logical switch to the network.

Key Technologies

- Cisco StackWise Virtual: Pairs two directly connected switches into one virtual switch using Ethernet connections. It simplifies management, scales system bandwidth, and enhances network resilience by allowing both switches to act as a single logical unit.
- Huawei M-LAG and Stacking: M-LAG allows link aggregation across multiple devices, improving reliability from the card level to the device level. Stacking virtualizes multiple switches into a single logical switch, expanding port density and uplink bandwidth.

- Open vSwitch (OVS): A software-based virtual switch that can operate within hypervisors or as a control stack for switching silicon. It supports virtual network overlays and can distribute traffic across multiple physical servers .

Benefits

- High Availability: If one switch or core fails, the other continues forwarding traffic, minimizing downtime .
- Scalability: Virtualization allows adding more switches or cores to increase bandwidth and port density without redesigning the network .
- Simplified Management: A single control plane reduces configuration complexity and ensures consistent policies across the virtualized switches .
- Performance Optimization: Multicore processing and virtualization allow traffic to be directed to the appropriate virtualized core, improving packet forwarding efficiency and reducing CPU load .

Implementation Considerations

- Spanning Tree and Redundancy Protocols: Proper configuration of STP and First Hop Redundancy Protocols (FHRP) is essential to prevent loops and ensure rapid failover .
- Traffic Distribution: Virtual switches must efficiently classify and forward packets to the correct virtual machine or core, especially in high-speed environments (10 GbE or higher), .
- Hardware Support: Some solutions, like QorIQ processors, integrate hardware accelerators to offload packet processing from the virtual switch, improving performance .

Conclusion

Dual-core virtualization of switches merges two physical switches or cores into a single logical switch, enhancing reliability, bandwidth, and management efficiency. Technologies like Cisco StackWise Virtual, Huawei M-LAG, and Open vSwitch demonstrate how both hardware and software approaches can achieve virtualization, making networks more resilient, scalable, and easier to manage .

Article Content

To replace your two core switches with a Virtual Switching System (VSS

We are planning to replace these two independent cores with a VSS (Virtual Switching System) pair. Could you

Cisco Catalyst 9000 Platform StackWise Virtual White Paper

Cisco® Catalyst® 9000 platform StackWise® Virtual technology allows the clustering of two physical switches together

Integrating the Virtual Switching System in Cisco Data Center ...

VSS technology allows for the grouping of two Cisco Catalyst 6500 switches into a single virtual switch. A VSS

Cisco Switch Virtualization

This lesson explains the advantage of using logical switches in Cisco Campus Network Designs.

SWV design guidance: using 4 switches in 2 SWV domains as two

From my general networking experience as well as reading about VSS/SWV configuration and troubleshooting

Connectivity Design | Validated Solution Guide

Each ToR switch is dual-homed to a data center core using Layer 2 VSX/MC-LAG links. Using Layer 2 between the

How to configure redundant core switch in collapsed core?

Without VPC (Nexus) or VSS/VSX your options are either a first-hop redundancy protocol like HSRP, VRRP, or GLBP (which will

AOS-CX 10.13 Virtual Switching Extension (VSX) Guide

Aruba Virtual Switching Extension (VSX) is virtualization technology for aggregation/core switches running the AOS-CX operating

Core - MXN

We can plan one of these core switch configurations for you. They're guaranteed to cost less than the more conventional options,

What Is Switch Virtualization Technology and What Are Stacking and

A physical switch can be logically virtualized into multiple virtual switches to isolate services and improve reliability. Stacking and M

High Availability Configuration Guide, Cisco IOS XE Dublin 17.10.x ...

Cisco StackWise Virtual is a network system virtualization technology that pairs two directly connected switches into

Duravit ME by Starck Toilet seat and cover with Fittings

Duravit ME by Starck Toilet Seat and Cover Duravit ME by Starck Toilet Seat and Cover with Fittings - Soft

Cisco StackWise Virtual Explained 2025: Comparison & Deployment

Together, they appear as one core switch to the distribution layer, ensuring high availability with seamless failover.

Cisco Switch Virtualization

The dashed lines are layer 2 links. Spanning tree will block two of these links to create a loop-free topology. Another issue with this

Duravit 0066990000 Happy D. / Starck 2 Toilet seat with Soft Close,

Duravit Happy D. Seat and Cover with Soft Closing Hinges Duravit Happy D. Seat and Cover with Soft Closing Hinges Introducing

Core 2 Duo E7500 Virtualization Technology

Virtual machines don't perform very well on a dual core processor. Both the Intel Q9400 Core 2 CPU and the Core i5

virtualization

The Celeron Dual Core series does not support VT-x extensions on its hardware. Check the model of your processor

StackWise Virtual Configuration on Catalyst 9606R

StackWise Virtual Design In addition to giving you the commands to configure StackWise Virtual on the 9606R

Data Center Design with Cisco Nexus Switches and Virtual

Data Center Access Design with Cisco Nexus 5000 Series Switches and 2000 Series Fabric Extenders and Virtual PortChannels

What Is Stacking? Why Do We Need Stacking?

What Is Stacking? Stacking is a technology that connects multiple switches through stack cables to form a logical switch

Understand and Configure Nexus 9000 vPC with Best Practices

This document describes the best practices to use for virtual Port Channels (vPC) on Cisco Nexus 9000 (9k) Series

High Availability Configuration Guide, Cisco IOS XE Cupertino 17.9.x ...

The following is a sample configuration for configuring a StackWise Virtual Fast Hello dual-active-detection link on a

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet Cistern Fittings Spares
Derwent Macdee Metro Poly Diaphragm

Understand and Configure Nexus 9000 vPC with Best Practices

This document describes the best practices to use for virtual Port Channels (vPC) on Cisco Nexus 9000 (9k) Series

High Availability Configuration Guide, Cisco IOS XE Cupertino 17.9.x ...

The following is a sample configuration for configuring a StackWise Virtual Fast Hello dual-active-detection link on a

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet Cistern Fittings Spares
Derwent Macdee Metro Poly Diaphragm

Configure StackWise Virtual Link (SVL) on Cisco Catalyst 9500 High ...

In this video, learn how to configure a StackWise Virtual Link (SVL) on Cisco Catalyst

Intel product specifications

Intel® product specifications, features and compatibility quick reference guide and code name decoder. Compare products including

Routing & Switching Design | Validated Solution Guide

The core is a high-speed dual-switch interconnection that provides path redundancy and sub-second failover for

High Availability Configuration Guide, Cisco IOS XE Amsterdam 17.3.x ...

The following is a sample configuration for configuring a StackWise Virtual Fast Hello dual-active-detection link on a

StackWise Virtual on Catalyst 9500

This capability enables a loop-free Layer 2 network topology, since the StackWise Virtual switches are treated as one

Retina MacBook Pro

I am looking to get a Retina MacBook Pro and I am really torn between the portability of the 13" dual core i7 and the four cores of the

Today's Deals

Discover amazing deals on a wide range of products during Amazon's winter sale.

To replace your two core switches with a Virtual Switching System (VSS

Each core is connected to a separate SD-WAN router with OSPF running between them. We are planning to replace

How to configure StackWise Virtual for Cisco Catalyst 9500s

Stackwise Virtual is a Cisco virtualization technology that allows for two Catalyst 9500 switches to virtually form a single switch.

KERAMAG VIVANO TOILET SEAT SOFT CLOSE 574905000 MTSb022

KERAMAG VIVANO TOILET SEAT SOFT CLOSE 574905000 MTSb022 KERAMAG VIVANO TOILET SEAT SOFT CLOSE

High Availability Configuration Guide, Cisco IOS XE Dublin 17.10.x ...

Cisco StackWise Virtual is a network system virtualization technology that pairs two directly connected switches into

Duravit ME by Starck Toilet seat and cover with Fittings

Duravit ME by Starck Toilet Seat and Cover Duravit ME by Starck Toilet Seat and Cover with Fittings - Soft

Cisco StackWise Virtual Explained 2025: Comparison & Deployment

Together, they appear as one core switch to the distribution layer, ensuring high availability with seamless failover.

Cisco Switch Virtualization

The dashed lines are layer 2 links. Spanning tree will block two of these links to create a loop-free topology. Another issue with this

Duravit 0066990000 Happy D. / Starck 2 Toilet seat with Soft Close,

Duravit Happy D. Seat and Cover with Soft Closing Hinges Duravit Happy D. Seat and Cover with Soft Closing Hinges Introducing

Core 2 Duo E7500 Virtualization Technology

Virtual machines don't perform very well on a dual core processor. Both the Intel Q9400 Core 2 CPU and the Core i5

virtualization

The Celeron Dual Core series does not support VT-x extensions on its hardware. Check the model of your processor

StackWise Virtual Configuration on Catalyst 9606R

StackWise Virtual Design In addition to giving you the commands to configure StackWise Virtual on the 9606R

Data Center Design with Cisco Nexus Switches and Virtual

Data Center Access Design with Cisco Nexus 5000 Series Switches and 2000 Series Fabric Extenders and Virtual PortChannels

What Is Stacking? Why Do We Need Stacking?

What Is Stacking? Stacking is a technology that connects multiple switches through stack cables to form a logical switch

Understand and Configure Nexus 9000 vPC with Best Practices

This document describes the best practices to use for virtual Port Channels (vPC) on Cisco Nexus 9000 (9k) Series

High Availability Configuration Guide, Cisco IOS XE Cupertino 17.9.x ...

The following is a sample configuration for configuring a StackWise Virtual Fast Hello dual-active-detection link on a

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet

Derwent Macdee Metro Poly Diaphragm Syphon Washer Toilet Cistern Fittings Spares
Derwent Macdee Metro Poly Diaphragm

To replace your two core switches with a Virtual Switching System (VSS

We are planning to replace these two independent cores with a VSS (Virtual Switching System) pair. Could you

Cisco Catalyst 9000 Platform StackWise Virtual White Paper

Cisco® Catalyst® 9000 platform StackWise® Virtual technology allows the clustering of two physical switches together

Integrating the Virtual Switching System in Cisco Data Center ...

VSS technology allows for the grouping of two Cisco Catalyst 6500 switches into a single virtual switch. A VSS

Cisco Switch Virtualization

This lesson explains the advantage of using logical switches in Cisco Campus Network Designs.

SWV design guidance: using 4 switches in 2 SWV domains as two

From my general networking experience as well as reading about VSS/SWV configuration and troubleshooting

Connectivity Design | Validated Solution Guide

Each ToR switch is dual-homed to a data center core using Layer 2 VSX/MC-LAG links. Using Layer 2 between the

How to configure redundant core switch in collapsed core?

Without VPC (Nexus) or VSS/VSW your options are either a first-hop redundancy protocol like HSRP, VRRP, or GLBP (which will

AOS-CX 10.13 Virtual Switching Extension (VSX) Guide

Aruba Virtual Switching Extension (VSX) is virtualization technology for aggregation/core switches running the AOS-CX operating

Core - MXN

We can plan one of these core switch configurations for you. They're guaranteed to cost less than the more conventional options,

What Is Switch Virtualization Technology and What Are Stacking and

A physical switch can be logically virtualized into multiple virtual switches to isolate services and improve reliability. Stacking and M

To replace your two core switches with a Virtual Switching System (VSS

We are planning to replace these two independent cores with a VSS (Virtual Switching System) pair. Could you

Cisco Catalyst 9000 Platform StackWise Virtual White Paper

Cisco® Catalyst® 9000 platform StackWise® Virtual technology allows the clustering of two physical switches together

Integrating the Virtual Switching System in Cisco Data Center ...

VSS technology allows for the grouping of two Cisco Catalyst 6500 switches into a single virtual switch. A VSS

Cisco Switch Virtualization

This lesson explains the advantage of using logical switches in Cisco Campus Network Designs.

SWV design guidance: using 4 switches in 2 SWV domains as two

From my general networking experience as well as reading about VSS/SWV configuration and troubleshooting

Connectivity Design | Validated Solution Guide

Each ToR switch is dual-homed to a data center core using Layer 2 VSX/MC-LAG links. Using Layer 2 between the

How to configure redundant core switch in collapsed core?

Without VPC (Nexus) or VSS/VSW your options are either a first-hop redundancy protocol like HSRP, VRRP, or GLBP (which will

AOS-CX 10.13 Virtual Switching Extension (VSX) Guide

Aruba Virtual Switching Extension (VSX) is virtualization technology for aggregation/core switches running the AOS-CX operating

Core - MXN

We can plan one of these core switch configurations for you. They're guaranteed to cost less than the more conventional options,

What Is Switch Virtualization Technology and What Are Stacking and

A physical switch can be logically virtualized into multiple virtual switches to isolate services and improve reliability. Stacking and M

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

Contact Us

Continue your research online:

Website: <https://alfa-pro.co.za>

Technical inquiry: <https://alfa-pro.co.za/contact.html>

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

