Fiber optic splice closure with 2 inputs and 2 outputs 12 cores



Overview

2 in 2 Out Horizontal Cable Junction Box, 12 Core Removable fibre optic splice tray, more portable and durable, fully meet the Fiber Optic Closures | Optic.

Key Takeaways

A 2-in-2-out, 12-core fiber optic splice closure is designed to protect and organize up to 12 optical fibers while supporting multiple installation scenarios with robust environmental protection.Key Features

Design and Capacity: These closures accommodate 12 fibers per tray and typically include one tray for splicing. They support 2 inlet and 2 outlet ports, compatible with cables ranging from 8–14mm in diameter, allowing flexible network branching and connections ( ). Materials and Durability: Closures are commonly made from PP+GF (Polypropylene + Glass Fiber) or high-strength plastics/fiberglass, providing UV resistance, corrosion resistance, and anti-aging properties. Rubber seals and silicone gaskets ensure protection against water, dust, and environmental contaminants, making them suitable for overhead, buried, or pipeline installations ( ). Fiber Management: Splice trays are often booklet-style with a minimum bending radius of 40mm, ensuring proper fiber handling and preventing signal loss. They support both single-core and multimode fibers, and the closure can be reopened and reused, enhancing flexibility and reducing long-term costs ( ). Installation and Handling: These closures are lightweight (around 1.085kg) and compact (e.g., 250mm x 157mm x 30mm), making them easy to install in aerial, duct, embedded, or manhole environments. Horizontal or flat designs provide space for splicing and storage while maintaining a waterproof and dustproof seal ( ). Additional Features:

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

• Resistant to acid, alkali, and salt corrosion

• Suitable for telecom, broadband, and long-distance fiber networks

• May include locking mechanisms or sealable covers for security

• Supports easy maintenance and network expansion ( ) These closures are ideal for small to medium fiber optic deployments where multiple cable entries and environmental protection are required, ensuring reliable and durable fiber connections.

Article Content

2 in 2 Out Horizontal Cable Junction Box, 12 Core

Removable fibre optic splice tray, more portable and durable, fully meet the

Fiber Optic Closures | Optical Communications | Corning

Corning Fiber Optic Splice Closures are designed for splicing fibers in aerial, duct and buried applications.

Fiber Optic Connection Box Optical Fiber Cable Splice ...

Two-in-two-out fiber optic cable connection, equipped with fiber optic cable reinforcement holder, can be used for single core, ribbon

Mini Fiber Splice Closure — Compact 12-24 Core | TTI

Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out cable port configuration.

Fiber Optic Splice Closure — Dome & Inline | TTI Fiber

Mini Splice Closure Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out

12-Fiber Termination Box – 2 Input Glands (12mm), 12

It features 2 input cable glands for cables up to 12 mm and 12 output ports for drop cables up to 3 mm, with

Fiber Optic Splice Enclosure Horizontal Type 2 In 2 Out

Fiber Optic Splice Enclosure is like a flat or rounded case, and provide space and protection for the fiber

2178 Splice Closure S/LS/LL/SL

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The Fiber Optic Splice Closure 2178 family has earned its reputation for reliable protection of fiber optic

Factory High Quality 96 Core Optical Fiber Joint

Product Description In-line Horizontal Fiber Splice Joint Closure is used for direct connection and large

12-Fiber Horizontal Outdoor Splice Closure – 4 Ports

A horizontal splice enclosure is designed to protect fiber optic cable splicing and joints.

Fiber Optic Cable and Splice Closure Solutions | Corning

Corning offers optimized pairings of fiber closures and cable types to help you decide what''s essential to

Fiber Optic Splice Closures Horizontal 12 24 Core

Fiber optic splice closures are one of the most important types of equipment for user access points, and

Fiber Optic Closures: A Comprehensive Selection Tutorial

Conclusion Selecting the right fiber optic closure is crucial for ensuring the protection, organization, and

Fiber Optic Splice Closure, Electrical Cable Junction Box Manufacturer

UnitekFiber offers a series of high quality IP68 fiber optic splice closure with the fiber cores from 48cores to 1152cores, which

ABS/PP 96 Core IP68 Fiber Optic Closure (2 in 2 out)

Splice closures are vital for distributing, splicing, and storing outdoor optical cables. They

FS

FS - HPC, Data Center, Enterprise, Telecom

F2H-FTB-12-F Fiber Termination Box-12 Cores

F2H-FTB-12-F Fiber Termination Box-12 Cores Functions Grandway''s fiber optic closure provides a high density wall mounted or

Fiber Dome Closures | Fiber Optic Closures | Corning

Fiber Dome Closure, FDC, is intended to meet the needs of anyone using firber optic splice closures in the

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

96 Cores Fiber Optical Splice closure, Fiber Splice Closure

Overview YFSC-T48A Fiber Splice Closure, also known as Fiber Optical Splice closure, is a 2 inlet port, 2 outlet port mechanically

Fiber Optic Splice Enclosure Horizontal Type 2 In 2 Out

Fiber Optic Splice Enclosure Horizontal Type 2 In 2 Out 12 Core is used to distribute, splice, and store the

Fiber Optic Splice Closure

Fiber Optic Splice Closure Applications: Outdoor Fiber Optic Cable Splicing and Cable Management Aerial, Underground, or Direct

12-24core Fiber Junction Box Fiber Optic Splice Closure

By choosing this fiber optic splice closure 12 core-24 core economical solution, you significantly lower the per-node deployment cost.

The FOA Reference For Fiber Optics

Choosing A Splice Closure The long term survival of a network depends on the integrity of splice closures to protect the splices and

Fiber Optic Cable and Splice Closure Solutions | Corning

Corning offers optimized pairings of fiber closures and cable types to help you decide what''s essential to your network''s set up.

IP68 PP Direct/Splitting Connection 24/48 Core Splice Closure

The optical 48 core splice closure is designed for distributing, splicing, and storing outdoor optical cables. Support

Fiber In-line closure 12/24/48 Core | Fiber Xpress Mart

The fiber splice closures and the splice trays inside provide strong protection for the spliced fiber joint and fiber cables. Fiber Optic

Fiber Optic Splice Closure Guide | Structure, Types & Testing Standards

Comprehensive guide to fiber optic splice closures covering structure, fiber management systems, sealing design, mid

Small 24 Core Horizontal Fiber Splice Closure| 2-in 2-out

This small horizontal fiber splice closure is a compact and durable enclosure designed to protect and manage fiber optic splices in

Factory High Quality 96 Core Optical Fiber Joint

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Product Description In-line Horizontal Fiber Splice Joint Closure is used for direct connection and large

12-Fiber Horizontal Outdoor Splice Closure – 4 Ports

A horizontal splice enclosure is designed to protect fiber optic cable splicing and joints.

Fiber Optic Cable and Splice Closure Solutions | Corning

Corning offers optimized pairings of fiber closures and cable types to help you decide what''s essential to

Fiber Optic Splice Closures Horizontal 12 24 Core

Fiber optic splice closures are one of the most important types of equipment for user access points, and

Fiber Optic Closures: A Comprehensive Selection Tutorial

Conclusion Selecting the right fiber optic closure is crucial for ensuring the protection, organization, and

Fiber Optic Splice Closure, Electrical Cable Junction Box Manufacturer

UnitekFiber offers a series of high quality IP68 fiber optic splice closure with the fiber cores from 48cores to 1152cores, which

Splice Closure Selection Guide

Description Amphenol fiber optic round closures provide a versatile and functional cost-effective space saving solution for FTTH

Fiber Optic Splice Closure — Dome & Inline | TTI Fiber

Fiber Optic Splice Closure Sealed Protection Dome and inline splice closures for aerial, duct, and direct burial — 12 to 288 cores,

Fiber Dome closure 12/24/48 Core | Fiber Xpress Mart

Fiber Optic Splice Closure can be installed in aerial, pole mounting, wall mounting, direct buried, and duct mounting, which used for

Fiber Optic Splice Closures | Graybar Store

Shop Our Inventory Of Fiber Optic Splice Closures Online. Graybar Is Your Trusted Distributor For Fiber Optic Closures.

ABS/PP 96 Core IP68 Fiber Optic Closure (2 in 2 out)

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Splice closures are vital for distributing, splicing, and storing outdoor optical cables. They support both direct and

FS

FS - HPC, Data Center, Enterprise, Telecom

F2H-FTB-12-F Fiber Termination Box-12 Cores

F2H-FTB-12-F Fiber Termination Box-12 Cores Functions Grandway''s fiber optic closure provides a high density wall mounted or

Fiber Dome Closures | Fiber Optic Closures | Corning

Fiber Dome Closure, FDC, is intended to meet the needs of anyone using firber optic splice closures in the long haul, metro, local

2 in 2 Out Horizontal Cable Junction Box, 12 Core

Removable fibre optic splice tray, more portable and durable, fully meet the

Fiber Optic Closures | Optical Communications | Corning

Corning Fiber Optic Splice Closures are designed for splicing fibers in aerial, duct and buried applications.

Fiber Optic Connection Box Optical Fiber Cable Splice ...

Two-in-two-out fiber optic cable connection, equipped with fiber optic cable reinforcement holder, can be used for single core, ribbon

Mini Fiber Splice Closure — Compact 12-24 Core | TTI

Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out cable port configuration.

Fiber Optic Splice Closure — Dome & Inline | TTI Fiber

Mini Splice Closure Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out

12-Fiber Termination Box – 2 Input Glands (12mm), 12

It features 2 input cable glands for cables up to 12 mm and 12 output ports for drop cables up to 3 mm, with

Fiber Optic Splice Enclosure Horizontal Type 2 In 2 Out

Fiber Optic Splice Enclosure is like a flat or rounded case, and provide space and protection for the fiber

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

2178 Splice Closure S/LS/LL/SL

The Fiber Optic Splice Closure 2178 family has earned its reputation for reliable protection of fiber optic

Fiber Optic Splice Closures (FOSC

The FOSC-450 is a single-ended, environmentally sealed enclosure for fiber management in the outside plant network. FOSC-450

Fiber Optic Splice Closures | Graybar Store

Shop Our Inventory Of Fiber Optic Splice Closures Online. Graybar Is Your Trusted Distributor For Fiber Optic Closures.

2 in 2 Out Horizontal Cable Junction Box, 12 Core

Removable fibre optic splice tray, more portable and durable, fully meet the

Fiber Optic Closures | Optical Communications | Corning

Corning Fiber Optic Splice Closures are designed for splicing fibers in aerial, duct and buried applications.

Fiber Optic Connection Box Optical Fiber Cable Splice ...

Two-in-two-out fiber optic cable connection, equipped with fiber optic cable reinforcement holder, can be used for single core, ribbon

Mini Fiber Splice Closure — Compact 12-24 Core | TTI

Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out cable port configuration.

Fiber Optic Splice Closure — Dome & Inline | TTI Fiber

Mini Splice Closure Compact mini-sized dome fiber optic splice closure in ABS housing, supporting 12 to 24 cores with 1-in/2-out

12-Fiber Termination Box – 2 Input Glands (12mm), 12

It features 2 input cable glands for cables up to 12 mm and 12 output ports for drop cables up to 3 mm, with

Related Video Reference

This video was associated with the source search result. Verify technical details against current product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved