High-density hot-swappable power distribution unit desktop available

Overview

CRPS and M-CRPS are high-efficiency, hot-swappable redundant power supplies optimized for servers, storage, and data center systems. Designed for high power density and modular scalability, they meet industry standards for reliability and energy efficiency. The Vertiv™ Liebert® RXA is a remote power panel ideal for small to large data centers, server rooms, network closets and remote facilities, including enterprise and colocation companies that require specific server distribution needs within a compact footprint. With features like easy installation. The iX is fully hot-swappable; it enables live replacement with no power interruption to the individual outlets. give real-time insight with ±0. It also adapts to evolving power. Discover CHx2000, CoolIT's highest-performing CDU. 3-Year standard and 5-Year extended warranty. Built with premium components to withstand 140°F (60°C) at full load.

Article Content

Vertiv™ Liebert® RXA

With features like easy installation and serviceability, the power distribution system is ideally suited for edge support environments and facilities with limited space that need to meet high power density

PX4 Landing Page

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The PX4 is more than just a rack power distribution unit. It is a unified rack PDU solution that provides forward-thinking tools, sensors, and insights to solve ever-evolving infrastructure challenges.

Vertiv™ PowerBar Track

It is designed to meet the high-power demands of data center IT racks for AI and high-performance computing environments. It also adapts to evolving power requirements, offering reliable power

CHx2000 CDU with 2000 kW Liquid-Air Cooling | CoolIT Systems

Engineered for the highest-density computing environments, CoolIT Systems'' CHx2000 provides the performance, reliability and support that the world expects from CoolIT.

eFuses (integrated hot swaps) | TI

Industry-leading efficiency, reliability and advanced integration deliver high power density for next-gen systems. TI eFuses help strengthen system reliability with intelligent, solid-state protection against

Power Distribution Units

Panduit Power Distribution Units are designed for the modern data center, integrating seamlessly with facility systems. Our PDUs offer versatile options in density, capacity, and connectivity, future

Hot-swap controllers | TI

Designed for modern high-density systems, hot-swap controllers can support higher current and power levels than typical eFuses, making them ideal for high-density, high-performance systems.

Hot-Swap PDUs for Mission-Critical Applications | Eaton

Tripp Lite hot-swap bypass PDUs maintain continuous power to connected equipment, so you can repair or replace UPS systems without taking your network offline.

Hot-swap for UPS systems and PDUs

SmartOnline hot-swappable modular UPS systems feature a modular power distribution unit (PDU) that combines all input and output power connections with a manual bypass switch.

CRPS and M-CRPS | High-Efficiency CRPS Power Supply | FSP

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

CRPS and M-CRPS are high-efficiency, hot-swappable redundant power supplies optimized for servers, storage, and data center systems. Designed for high power density and modular scalability, they

Evertz MViP-II DPX4 2RU IP-Based Multi-Image Display ...

MViP-II-DPX4 supports mix of SD, HD, UHD inputs and mix of codec and up to four DisplayPort outputs, and redundant, hot-swappable power supply in a compact 2RU chassis. It expands the MViP-II

IBM FlashSystem 7300 Product Guide.pdf

The IBM FlashSystem 7300 product guide outlines a next-generation storage solution optimized for high performance and reliability, incorporating IBM FlashCore technology and features for data reduction,

10 Best SAS Controllers for High-Density Storage Arrays (April 2026 ...

Top 3 Best SAS Controllers for High-Density Storage Arrays Picks (April 2026) These three SAS controllers represent the best balance of price, performance, and compatibility for high

Best Rackmount Smart UPS 2026 — Grokipedia

Looking beyond 2026, rackmount smart UPS systems are expected to continue evolving to meet demands from edge computing, hybrid cloud architectures, and AI-driven workloads in distributed

iConverter Chassis and Mounting Options

The iConverter Multi-Service Platform of media converters, multiplexers and Carrier Ethernet demarcation NIDs can be installed in high-density chassis with redundant power for fiber distribution

CHx2000 CDU with 2000 kW Liquid-Air Cooling | CoolIT

Discover CHx2000, CoolIT''s highest-performing CDU. 2000 kW liquid-to-air capacity, hot-swappable pumps, and full monitoring for data centers.

TechPowerUp

Other World Computing (OWC), a trusted leader in high-performance storage, memory, connectivity, software, and accessories that empower creative and business professionals to

Vertiv™ Liebert® RXA

Reliable uninterrupted power distribution for your IT infrastructure High power density (400 Amps 84 Poles in 0.19 m²; 800 Amps 168 Poles in 0.38 m²) Available in two ratings: 250 Amps or 400 Amps

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved