Huawei optical module parameters 80km

Overview

The Huawei XFP-STM64-SM1550-80km is a 10G single-mode module designed for high-speed data transmission over long distances. Moduletek Laboratory tested the product sample to help users understand its performance indicators and actual on-device application effect. Product Overview The Huawei. During certification of optical modules for Huawei switches, Huawei completes comprehensive functionality verification to ensure quality of optical modules. 652/655 single-mode fiber (SMF). This 10G DWDM SFP+ transceiver operates at tunable DWDM wavelength from C17 channel - 1563. Your email address will not be published. Required fields are marked * Save my name, email, and website in this browser for the next. We offer Huawei High Speed Transceiver, a perfect solution for your Huawei SFP Module.

Article Content

Huawei XFP-10G-1550NM-80KM-SM Optical Transceiver Sample Report

Huawei''s XFP-10G-1550NM-80KM-SM optical transceiver supports 10G Ethernet transmission over 80km on single-mode fiber. Moduletek Laboratory tested the product sample to

Optical Modules for Huawei S Series Switches

If an optical module is installed in a running switch, you can run the display transceiver command to view parameters of the optical module, including the center wavelength, transmission distance, fiber types

1.25 Gbit/s SFP/eSFP Optical Module

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

The wavelength of common 1.25 Gbit/s SFP/eSFP optical modules can be 850 nm, 1310 nm, or 1550 nm, and the transmission distance ranges from 0.5 km (0.31 mi) to 80 km (49.71 mi).

10G SFP+ DWDM 80km 10G DWDM C-band Tunable Transceivers

The Huawei OSX080C00 compatible tunable DWDM-SFP10G-80 series 10G SFP+ transceiver module is equipped with an LC duplex connector, reaching a link up to 80km over

Huawei 10G-80km-SFP+ OSX080N07 Gray Optical Module and Test

TX/RX power test ensures that the optical power are within the thresholds; remove the aged optical module with power loss, and the fake module with counterfeit label.

Huawei SFP Optical Fiber Module

With our SPA Optical Transceiver Module, you can reach high speeds up to 10km/ 20km/ 40km/ 80km/ 120km/ 150km. With our advanced technology, your Huawei SFP Module can transfer data with

Huawei 02310SNN Datasheet

Form factor: SFP+ Application standard/Type: 10GBASE-ZR Connector type: LC Optical fiber type: SMF Working case temperature [°C (°F)]: 0°C to 70°C (32°F to 158°F) Transmission rate [bit/s]: 10Gbit/s

XFP-STM64-SM1550-80km, Huawei XFP Optical Module,

What are the primary features of this Huawei 10G XFP module? The primary features include 10G speed, single-mode operation, 1550nm wavelength, 80km range, and LC connectors.

Huawei XFP-STM64-SM1550-80kM Compatible XFP 10G ZR 80km

Huawei XFP-STM64-SM1550-80kM Compatible 10GBASE-ZR XFP Transceiver Module (SMF, 1550nm, 80km, LC, DDM) The Huawei XFP-STM64-SM1550-80kM compatible optical transceiver is equipped

OPTICAL MODULES FOR HUAWEI S SERIES SWITCHES

A switch must use optical or copper modules that have been certified for use on Huawei switches. Non-certified optical or copper modules cannot ensure transmission reliability and may affect service

100G/400G Optical Transceiver Platform Specification & Architectural ...

PRODUCT IDENTIFICATIONThis document serves as the definitive technical reference for the 100G/400G Optical Transceiver Family, a comprehensive suite of pluggable

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Huawei XFP-10G-1550NM-80KM-SM Optical Transceiver Sample Report

The Huawei XFP-10G-1550NM-80KM-SM optical transceiver supports an 80km link length on 10G standard single-mode fiber (SMF, G.652). Its official key parameters and physical

HiSilicon | Smart Devices for All Scenarios

HiSilicon provides powerful chipsets, including PLC, 8K, NB-IoT, and XR, which are built to meet the needs of smart devices, display panels, home

Huawei 10G-80km-SFP+ OSX080N07 Gray Optical Module and Test

Buy Huawei 10G-80km-SFP+ Original OSX080N07 Gray Optical Module with Compatible Test Report Assured, Comprehensive Quality Assurance Procedure, at 15-Year Gold Supplier Thunder-link

Optical Module Names

Coherent Modules Basic format: [Maximum rate] [Encapsulation type] [T version] [(Application scenario, FEC type@modulation format, flex rate or not, coherent or not, wavelength tunable or not, spectrum

Huawei QSFP28-100G-1310-80km-SM 100G 1310nm 80km QSFP28 Optical Module

The Huawei QSFP28-100G-1310-80km-SM represents the forefront of high-speed optical module technology, designed for robust, long-distance communication over single-mode fiber. Operating at a

1.25 Gbit/s SFP/eSFP Optical Module

1.25 Gbit/s SFP/eSFP Optical Module You can use different levels of 1.25 Gbit/s SFP/eSFP optical modules with GE interfaces and 10 GE interfaces. The wavelength of common

S-SFP-GE-LH80-SM1550

The Huawei Optical Transceiver, eSFP, GE, Single-mode Module (1,550 nm, 80 km, LC) is guaranteed 100% Compatible and Functional in its intended equipments. Every S-SFP-GE-LH80-SM1550 is

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved