# Serbian Optoelectronic Hybrid Cable QSFP-DD

## Overview

It features a parallel active optical cable with eight independent channels with multi-rate capabilities to 50 Gb/s PAM4 or 25 Gb/s NRZ per channel. The FS® 400GBASE Quad Small Form-Factor Pluggable Double Density (QSFP-DD) portfolio offers customers a wide variety of super high-density transceiver modules and the flexibility of 400 Gigabit Ethernet connectivity options for data center, high- performance computing networks, enterprise core and. Amphenol's QSFP-DD Linear Pluggable Optical (LPO) Transceiver delivers low-latency, high-bandwidth PCIe® Gen 5. 0 over optical link, enabling scalable server disaggregation and efficient rack-to-rack interconnects ideal for AI/ML and rack-scale data center expansion. Please note that the above. DAC and AOC Cables for High-Speed Interconnects 400G QSFP-DD AOC (100-metre, QSFP-DD to QSFP-DD) The 400G QSFP-DD active optical cables are designed for use in 400 Gigabit Ethernet links over OM4 multimode fibres, and contain eight multi-mode fibres (MMF) optic transceivers per end, each operating. QSFP-DD 400G LR4 optical transceiver is a high-speed, high-density transceiver module that supports data transmission at a rate of 400 Gigabits per second (Gbps). Equipment equipped with QSFP-DD ports supports backward compatibility with existing QSFP+, QSFP28, and QSFP56 modules. This feature. Quad Small Form-Factor Pluggable Double-Density (QSFP-DD) offers twice as many high-speed electrical interfaces as QSFP28 while maintaining the same port density. Available in a broad range of wire gages from 26AWG throug 30AWG-this 400G copper cable assembly features low insertion loss les the rate.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved

## Article Content

Specification – QSFP-DD

July 11, 2019 – QSFP-DD Hardware Specification for QSFP DOUBLE DENSITY 8X PLUGGABLE TRANSCEIVER – Rev 5.0 May 8, 2019 – Common Management Interface

400G QSFP-DD Cable and Transceiver Modules Data Sheet | FS

It provides a QSFP-DD-to-QSFP-DD copper direct-attach solution. They are suitable for very short links and offer a cost-effective way to establish a 400-Gigabit link between QSFP-400G ports of

QSFP-DD Linear Pluggable Optics (LPO)

Amphenol''s QSFP-DD Linear Pluggable Optical (LPO) Transceiver delivers low-latency, high-bandwidth PCIe® Gen 5.0 over optical link, enabling scalable server disaggregation and efficient rack-to-rack

100m (328ft) 400G QSFP-DD Active Optical Cable for FS Switches

This active optical cable is compliant with IEEE 802.3cd, OIF-CEI-04.0, QSFP-DD MSA, and QSFP-DD-CMIS-rev4p0. Thin and lightweight AOC cables simplify cable management, enabling an efficient

Serbia QSFP-DD optical module 1G

This article explores how to interconnect OSFP and QSFP-DD ports in 400G/800G networks, covering key principles, form factor differences, and practical solutions

QSFP-DD Optical Transceivers for High-Speed Connections

QSFP-DD ports incorporate a riding heatsink that can be sized independently of the optical module, added on top of the module, or placed between modules. This flexibility enables switch and routing

400G QSFP-DD Active Optical Cable, Hot Pluggable

Multichannel AOCs combining our vertically integrated VCSEL array technology with standard QSFP and SFP+ connectors. They feature low power consumption, low

QSFP-DD Connectors, Cages and Cable Assemblies

QSFP-DD provides high-performance computing capability. The QSFP interconnects density is doubled with electrical interface, providing superior thermal and signal integrity.

Serbian optical transceiver module QSFP-DD

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

Cisco QSFP-DD and OSFP 800G ZR/ZR+ digital coherent optics modules enable 800G traffic over amplified Dense Wavelength- Division Multiplexing (DWDM) links up to 120 km for 800ZR and over

400G QSFP-DD Active Optical Cable

400G QSFP-DD Active Optical Cable FEATURES Eight-channel full duplex active optical cable Up to 53.125 Gbps data rate per channel by PAM 4 modulation Low power consumption: < 8 W per cable

SFP, QSFP, QSFP-DD, OSFP Active Optical Cable Assemblies

SFP, QSFP, QSFP-DD, OSFP ACTIVE OPTICAL CABLE ASSEMBLIES Our active optical cable assembly portfolio provides improved cable flexibility and longer reach as compared to both

400G QSFP-DD Cable and Transceiver Modules Data Sheet

QSFP-DD to 4xQSFP28 cable assemblies are high performance, high bandwidth and cost effective interconnect solutions that support 400G standard applications with different data rates.

400G ZR, DR4, FR4, LR4, SR8 QSFP-DD Optical Transceiver

FiberMall 400G DR4 QSFP-DD Optical Transceiver Module The 400G QSFP-DD DR4 fiber module achieves the transmission over SMF (single-mode fiber) with an MPO-12 connector.

SFP, QSFP, QSFP-DD, OSFP ACTIVE OPTICAL CABLE ASSEMBLIES

Small form-factor pluggable (SFP), quad small form-factor pluggable (QSFP), quad small form-factor pluggable double-density (QSFP-DD) and Octal Small Formfactor Pluggable (OSFP) in both straight

200G QSFP DD Active Optical Cable (AOC)

Amphenol QSFP DD to QSFP DD 200G Active Optical Cable assemblies increase the number of lanes from 4 to 8 and double the port density as compared to 100G QSFP28 AOC. These

Understanding QSFP-DD Cable: A Comprehensive Guide to 400G

Explore the QSFP-DD cable in our comprehensive guide, covering 400G connectivity, double density technology, and passive copper cable assemblies by Amphenol.

What is QSFP-DD Transceiver: A Beginner Guide (2022)

QSFP-DD transceiver is becoming increasingly popular in data center applications nowadays. In this beginner''s guide, we will take a closer look at the QSFP-DD transceiver, introduce

*© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved*

Quadwire® 400G Ethernet QSFP-DD Direct Attach Cable

400G Quadwire® FDBC850QE1Cxx are QSFP-DD direct-attach cables designed for 400G Ethernet links. Each passive copper cable assembles 16 differential copper pairs to provide 8 data

## Contact Us

Continue your research online:

Website: https://alfa-pro.co.za
Technical inquiry: https://alfa-pro.co.za/contact.html

This document is for preliminary research. Verify specifications against current standards, product documentation and project requirements.

© 2026 ALFA PRO COMMUNICATION SYSTEMS (Pty) Ltd - All rights reserved